





# Protect + WB

Water based high performance impregnating sealer for masonry surfaces

## PRECAUTIONS

- Not to be applied over previously coated surfaces.
- Drying times will be extended in cold conditions (product cures through evaporation of water).
- Protect surrounding areas from overspray, buildings, plants, drains etc.
- Wear suitable protective wear, respirator, gloves, protective clothing, safety goggles.
- Protect sealed surface from moisture for a minimum of 6 hours.
- Avoid applying Protect + WB in windy conditions.

## STORAGE

- Keep Protect + WB stored in a dry area, away from direct sunlight & frost.
- Store between 10°C & 30°C.
- Protect + WB has a shelf life of 12 months in an unopened container.
- Ensure partly used drums are correctly sealed.

## FIRE

Protect + WB is non-flammable.

## SAFETY PRECAUTIONS

- Wear appropriate protective equipment including clothing, gloves, appropriate respiratory mask and goggles.
- If poisoning occurs, contact doctor or Poisons Information Centre.
- If contact with skin occurs, remove contaminated clothing and thoroughly wash skin.
- If swallowed do not induce vomiting, give a glass of water.
- If in eyes, hold eyes open and flood with water for at least 15 minutes then see doctor immediately.
- For further information refer to the relevant Material Safety Data Sheet.

## IMPORTANT INFORMATION

The information and recommendations relating to Protect + WB are given based on current knowledge and experience. Due to variances in material substrates and site conditions no warranties implied by law or, fit purpose of the product can be implied. We accept no responsibility for loss or injury due to the incorrect handling or improper use of the product, limiting the cost of our liability to the replacement product cost only. Always refer to current Product Technical Data Sheets.

## CONPELL

Head Office: PO Box 4252

Ph: 1300 966 118

Brisbane Sales: 0450 040 848

Loganholme DC, Qld 4129

National Sales: 0433 400 220

Email: [info@conpell.com](mailto:info@conpell.com) Web: [www.conpell.com](http://www.conpell.com)